



Sizing the Barracuda NextGen Firewall F-Series 7.0.x

Choose the right Barracuda NextGen Firewall F-Series for your deployment

White Paper

Contents

Preface	3
Scenarios	4
Scenario 1 – Full Featured for headquarters, data centers	4
Scenario 2 – Internet Breakout for main and branch offices	5
Scenario 3 – Secure Connection for branch offices	6
Scenario 4 – Mixed Deployment	7
Desktop Appliance Performance	8
Barracuda NextGen Firewall FSC1	8
Barracuda NextGen Firewall F18	8
Barracuda NextGen Firewall F80	8
Barracuda NextGen Firewall F180	8
Barracuda NextGen Firewall F280	8
Rack Appliance Performance	9
Barracuda NextGen Firewall F380	9
Barracuda NextGen Firewall F400	9
Barracuda NextGen Firewall F600	9
Barracuda NextGen Firewall F800	9
Barracuda NextGen Firewall F900	10
Barracuda NextGen Firewall F1000	10
About the Barracuda NextGen Firewall F-Series	11

Preface

This document provides a guideline for choosing the right Barracuda NextGen Firewall F-Series appliance for your deployment. The information provided in this document is based on four different basic scenarios, which may fit to your network deployment and management strategy. Please follow the most appropriate scenario to find the right Barracuda NextGen Firewall F-Series for your needs.

As performance may vary (based on user characteristics, application usage, security configurations, and other factors) we cannot guarantee specific performance results. Choosing the right size of NextGen Firewall depends on three main characteristics at each location:

- **Number of users** - Number of users who need data access to Intranet, Internet, or Cloud Services.
- **Feature set** - The Barracuda NextGen Firewall F-Series offers a lot of features that can be enabled or disabled. Feature use may massively influence performance of the appliance. In this Sizing Guide we look at following main feature sets:

Feature Sets	Firewall	Application Detection	VPN	URL Filtering	Malware Protection	Adv. Threat Detection	Intrusion Prevention	SSL Interception	WAN Optimization
1 Full Featured	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2 Internet Breakout	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
3 Secure Connection	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>						

- **Internet usage** - Sizing and throughput numbers in this document are based on a typical traffic mix. The maximum recommended number of (concurrent) users depends on their usage level and is split into low, medium, or high.

All recommended user numbers are based on average email, web, and firewall usage with parameters outlined within the table below. If usage requirements are located in High or Low ranges you may consider choosing an appliance with either higher or lower capacity according to the following table:

Email Usage (8h-working day)	LOW	MEDIUM	HIGH
Number of received emails in inbox	Up to 20	Up to 50	More than 50
Number of large emails	None	Up to 3 emails with attachments of up to 500kB	More than 3 emails and/or with attachments bigger than 1MB
Encrypted emails	None	Up to 10% of all emails	More than 10%
Web usage (8h-working day)	LOW	MEDIUM	HIGH
Downloads per user and day	Up to 2	Up to 4	More than 4
Web usage	Minor peaks	Equally spread throughout the day	Many peaks
Web applications	Mostly webmail / wikis / news	Mostly webmail / wikis / news	"PowerUsers" (schools, universities, business applications)
Active Directory in use	No	No	Yes
Firewall / VPN usage	LOW	MEDIUM	HIGH
IPS in use	No	No	Yes
Number of VPN tunnels per user	None	Up to 1	More than 1

If you have any suggestions for future releases of this sizing guide, please contact EMEAPMM_team@barracuda.com.

Copyright © Barracuda Networks Inc. All rights reserved. All other brands and names are the property of their respective owners. All logos, brand names, campaign statements and product images contained herein are copyright and may not be used an/or reproduced, in whole or in part, without express written permission by Barracuda Networks Marketing. Performance metrics contained herein were attained in internal lab tests under ideal conditions. Network variables, different network environments and other conditions may affect performance results, and Barracuda Networks disclaims all warranties, whether express or implied, except to the extent Barracuda Networks enters a binding contract with a purchaser that expressly warrants that the identified product will perform according to the performance metrics herein. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Barracuda Networks internal lab tests. Barracuda Networks disclaims in full any guarantees. Barracuda Networks reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.

RELEASE 3

Barracuda NextGen
Firewall F-Series 7.0.x

October 2016

Scenarios

Scenario 1 – Full Featured for headquarters, data centers

The full-featured scenario comprises one main office connecting to the Internet and cloud services and includes with remote workers connecting via VPN clients or SSL VPN.


In general, the majority of features are used and the NextGen Firewall runs full featured.

This scenario is also called “stand-alone deployment”

Typical examples are single locations or university campus’ without branches.

Sample customers are.

- City of Palo Alto
- Grimaldi Lines
- Vienna University of Economics and Business



Scenario 1: Full-featured Barracuda NextGen Firewall F-Series

(Firewall, Application Detection, VPN, URL Filtering, Malware Protection, Advanced Threat Detection, Intrusion Prevention, SSL Interception, and WAN Optimization)

Model	Recommended number of users																					
	5	15	30	50	75	100	150	200	300	500	750	1,000	2,000	3,000	4,000	5,000	6,000	7,000	8,000	10,000	15,000	
F1000																						
F900																						
F800																						
F600																						
F400																						
F380																						
F280																						
F180																						
F80																						
F18																						
FSC1	Internet of Things : all security features are covered by Secure Access Concentrator																					

Based on performance figures for actual Barracuda NextGen Firewall F-Series appliances of October 2016 running on firmware 7.0.x.

Scenario 2 – Internet Breakout for main and branch offices


An Internet breakout at branch offices indicates full Internet access with (optional) full-fledged NextGen features in place.

As users can directly reach Internet and cloud resources via the local firewall, additional content security features like Malware Protection, URL Filtering, and Advanced Threat Detection might be needed. The management of all branch office appliances is done centrally via Barracuda NextGen Control Center.

In general the scenario can be seen as the classic national or international enterprise network with independent regional offices.

Sample Customers:

- Conservas Cidacos
- EADS
- Blum
- RHI



Scenario 2: Internet Breakout for main and branch offices
 (Firewall, Application Detection, VPN, URL Filtering, Malware Protection, and Advanced Threat Detection)

Recommended number of users

Model	5	15	30	50	75	100	150	200	300	500	750	1,000	2,000	3,000	4,000	5,000	6,000	7,000	8,000	10,000	15,000	
F1000																						
F900																						
F800																						
F600																						
F400																						
F380																						
F280																						
F180																						
F80																						
F18																						
FSC1	Internet of Things : all security features are covered by Secure Access Concentrator																					

Based on performance figures for actual Barracuda NextGen Firewall F-Series appliances of October 2016 running on firmware 7.0.x.


Scenario 3 – Secure Connection for branch offices

The satellite/shops scenario adds branch offices that need a stable and secure connection to headquarters. The branch offices connect to the headquarters via site-to-site VPN tunnels and send any compute-intensive security task, like antivirus, URL filtering, IPS, Application Control, etc., to the headquarters firewall. At the branch firewall only main features like firewalling, Application Detection, and VPN are enabled. Internet connections for the branch offices are routed entirely via the headquarter’s firewall. All branch office appliances are managed centrally via the Barracuda NextGen Control Center.

This scenario can be seen as the classic shop-to-headquarters scenario.

Sample Customers

- Calzedonia
- CBCX
- Central Parking



Scenario 3: Secure Connection for branch offices and IoT

(Firewall, Application Detection, and VPN)

Model	Recommended number of users																					
	5	15	30	50	75	100	150	200	300	500	750	1,000	2,000	3,000	4,000	5,000	6,000	7,000	8,000	10,000	15,000	
F1000																						
F900																						
F800																						
F600																						
F400																						
F380																						
F280																						
F180																						
F80																						
F18																						
FSC1	Internet of Things: all security features are covered by Secure Access Concentrator																					

Based on performance figures for actual Barracuda NextGen Firewall F-Series appliances of October 2016 running on firmware 7.0.x.

Scenario 4 – Mixed Deployment

The mixed deployment scenario combines Internet Breakout and Secure Connection setups.


You have small satellite offices as well as bigger regional offices connected to the company network. Both types of offices need a stable and secure connection to headquarters to reach centralized resources. Additionally, regional main offices can directly reach Internet and cloud services.

This scenario is mostly represented by international enterprises having regional main offices and also smaller retail shops or machine connectivity like ATMs or fuel dispensers connected to headquarters.

Nevertheless, all firewall appliances are managed centrally via the Barracuda NextGen Control Center.

Sample Customers

- ARZ
- Agrana
- Goethe Institute



Desktop Appliance Performance

Feature Sets	Firewall	VPN	Application Detection	URL Filtering	Malware Protection	Adv. Threat Detection	Intrusion Prevention	SSL Interception	WAN Optimization
1 Full Featured	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2 Internet Breakout	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
3 Secure Connection	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>						
Internet of Things	<input type="checkbox"/>	<input type="checkbox"/>							

Barracuda NextGen Firewall FSC1

Internet of Things	1-5	15	25	50	75	100	150	200	300	500	750	1,000	2,000	4,000	5,000	6,000	7,000	8,000	9,000	10,000	15,000	
Feature sets																						

Recommended number of things

Barracuda NextGen Firewall F18

Feature sets	5	15	25	50	75	100	150	200	300	500	750	1,000	2,000	4,000	5,000	6,000	7,000	8,000	9,000	10,000	15,000	
1 Full Featured																						
2 Internet Breakout																						
3 Secure Connection																						

Recommended number of users

Barracuda NextGen Firewall F80

Feature sets	5	15	25	50	75	100	150	200	300	500	750	1,000	2,000	4,000	5,000	6,000	7,000	8,000	9,000	10,000	15,000	
1 Full Featured																						
2 Internet Breakout																						
3 Secure Connection																						

Recommended number of users

Barracuda NextGen Firewall F180

Feature sets	5	15	25	50	75	100	150	200	300	500	750	1,000	2,000	4,000	5,000	6,000	7,000	8,000	9,000	10,000	15,000	
1 Full Featured																						
2 Internet Breakout																						
3 Secure Connection																						

Recommended number of users

Barracuda NextGen Firewall F280

Feature sets	5	15	25	50	75	100	150	200	300	500	750	1,000	2,000	4,000	5,000	6,000	7,000	8,000	9,000	10,000	15,000	
1 Full Featured																						
2 Internet Breakout																						
3 Secure Connection																						

Recommended number of users

Based on performance figures for actual Barracuda NextGen Firewall F-Series appliances of October 2016 running on firmware 7.0.x.

About the Barracuda NextGen Firewall F-Series

The Barracuda NextGen Firewall F-Series is an ideal enterprise solution for IT administrators seeking to protect vital data in networks made chaotic and vulnerable by the explosion of mobile and BYOD devices, evasive Web 2.0 applications, and remote network users. The Barracuda NextGen Control Center adds a powerful and intuitive centralized management portal that makes it extremely simple to deploy, configure, update, and manage multiple units from a single location, while also providing comprehensive, real-time network visibility and reporting. As a result, it is an ideal solution for enterprises looking to manage large numbers of users or several sites with few IT personnel while meeting PCI Compliance requirements.

For questions about the **Barracuda NextGen Firewall F-Series**, or for a free 30-day evaluation, visit https://www.barracuda.com/products/nextgenfirewall_f or call Barracuda Networks at +1 408-342-5400.

For questions about the Barracuda NextGen Firewall F-Series for the **Internet of Things**, or for a free 30-day evaluation, visit <https://iot.barracuda.com> or call Barracuda Networks at +1 408-342-5400.

For more information on our other security and productivity solutions, please visit <http://www.barracuda.com/products>.

About Barracuda Networks, Inc.

Barracuda (NYSE: CUDA) simplifies IT with cloud-enabled solutions that empower customers to protect their networks, applications, and data, regardless of where they reside. These powerful, easy-to-use and affordable solutions are trusted by more than 150,000 organizations worldwide and are delivered in appliance, virtual appliance, cloud and hybrid deployments. Barracuda's customer-centric business model focuses on delivering high-value, subscription-based IT solutions that provide end-to-end network and data security. For additional information, please visit barracuda.com.



Barracuda Networks Inc.
3175 S. Winchester Boulevard
Campbell, CA 95008
United States

t: 1-408-342-5400
1-888-268-4772 (US & Canada)
e: info@barracuda.com
w: barracuda.com